Revision Date 01.01.2026
Date of first issue 09.01.2017

Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name	Dichloromethane
Product number	D030158
Brand	3ASenrise
CAS number	75-09-2

1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.
Address: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui
Post code: 246003
Tel: 400-005-6266
Fax: 0556-5555368
Email: service@3asenrise.com

1.3 Emergency telephone

Emergency telephone: 0556-5500208

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin corrosion/irritation (Category 2), H315
Serious eye damage/eye irritation (Category 2A), H319
Carcinogenicity (Category 2), H351
Specific target organ toxicity - single exposure (Category 1), H370
Specific target organ toxicity - single exposure (Category 3), Narcotic effects, H336
Specific target organ toxicity - repeated exposure (Category 1), H372

2.2 GHS label elements, including precautionary statements

Pictogram

Signal word: Danger

Hazard statement(s)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.
H370 Causes damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

Prevention

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+P352 IF ON SKIN: wash with plenty of soap and water.
P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Physical and chemical hazards

No data available

2.4 Health hazards

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H370 Causes damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.

2.5 Environmental hazards Code

No data available

2.6 Other hazards

No data available

3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Substance

3.1 Substance

Name	Dichloromethane
Formula	CH2C12
Molecular Weight	84.93
CAS	75-09-2
Concentration	AR, ≥99.5%

4 FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with
water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

6.4 Reference to other section

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No data available.

8.2 Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Body protection

Flame retardant antistatic protective clothing.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance	colorless liquid
b) Odor	ether-like
c) pH	No data available
d) Melting point/freezing point	-95 ° C at 1,013 hPa
e) Initial boiling point and boiling range	40 ° C at 1,013 hPa
f) Upper/lower flammability or explosive limits	Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)
g) Flash point	No data available
h) Evaporation rate	No data available
i) Vapor pressure	584 hPa at 25 ° C
j) Vapor density	No data available
k) Density	1.33 g/cm3 at 20 ° C
l) Water solubility	13.2 g/l at 25 ° C
m) Partition coefficient: n-octanol/water	No data available
n) Autoignition temperature	605 ° C at 1,013 hPa
o) Decomposition temperature	No data available
p) Flammability	No data available

10 STABILITY AND REACTIVITY

10.1 Chemical stability

No data available.

10.2 Conditions to avoid

No data available.

10.3 Incompatible materials

No data available

10.4 Hazardous decomposition products

In the event of fire: see section 5.

11 TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

LD50 Oral
- Rat - male and female - > 2,000 mg/kg
LC50 Inhalation
- Mouse - 4 h - 86 mg/l - vapor
LD50 Dermal
- Rat - male and female - > 2,000 mg/kg

11.2 Skin corrosion/irritation

Skin - Rabbit Result: Irritations - 4 h Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

11.3 Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: Risk of corneal clouding.

11.4 Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative

11.5 Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Salm

11.6 Carcinogenicity

Suspected of causing cancer.

11.7 Reproductive toxicity

No data available

11.8 Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system

11.9 Specific target organ toxicity - repeated exposure

No data available

11.10 Aspiration hazard

no data available.

11.11 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 6 mg/kg Repeated dose toxicity - Rat - male and female - Inhalation - 104 Weeks To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Dizziness, Nausea, Vomiting, narcosis, Cough, irritant effects, Unconsciousness, Shortness of breath, respiratory paralysis, somnolence, depressed respiration, CNS disorders, inebriation Risk of corneal clouding. The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption of large quantities: CNS disorders Drowsiness Dizziness drop in blood pressure Cardiac irregularities depressed respiration inebriation Unconsciousness narcosis Swallowing may result in damage to the following: Liver Kidney The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys. Other dangerous properties can not be excluded. This substance should be handled with particular care.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish:
flow-through test LC50 - Pimephales promelas (fathead minnow) - 193.00 mg/l - 96 h
Toxicity to daphnia and other aquatic:
static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h
Toxicity to algae:
No data available
Toxicity to bacteria:
static test EC50 - activated sludge - 2,590 mg/l - 40 min

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 68 % - Readily biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 6 Weeks - 250 µg/l(Dichloromethane) Bioconcentration factor (BCF): 2 - 5.4 Cyprinus carpio (Carp) - 6 Weeks - 25 µg/l(Dichloromethane) Bioconcentration factor (BCF): 6 - 40

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Disposal must be made according to official regulations.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 1593 IMDG: 1593 IATA: 1593

14.2 UN proper shipping name

ADR/RID：DICHLOROMETHANE
IMDG：DICHLOROMETHANE
IATA-DGR：DICHLOROMETHANE

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations
Regulations on the Control over Safety of Dangerous Chemicals.
This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

16. OTHER INFORMATION

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association
RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
CAS: Chemical Abstracts Service (division of the American Chemical Society)

Further information

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.
Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel： +86 -400-005-6266 Fax： +86 -0556-5555368 E-mail：Service@3asenrise.com
Add：No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui