

## Material Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name	Benzene-d6
Product number	E090047
Brand	3ASenrise
CAS number	1076-43-3

#### 1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.

Address: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui

Post code: 246003

Tel: 400-005-6266

Fax: 0556-5555368

Email: service@3asenrise.com

#### 1.3 Emergency telephone

Emergency telephone: 0556-5500208

### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

## 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1A), H350

Specific target organ toxicity – repeated exposure (Category 1), Blood, H372 Aspiration hazard (Category 1), H304

Long-term (chronic) aquatic hazard (Category 3), H412

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



Signal word: Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statement(s)**

#### **Prevention**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### **Response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing.

Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### **Storage**

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/ container to an approved waste disposal plant.

### **2.3 Physical and chemical hazards**

H225 Highly Flammable liquid and vapour.

### **2.4 Health hazards**

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

## 2.5 Environmental hazards Code

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

## 2.6 Other hazards

No data available

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### Substance / Mixture: Substance

#### 3.1 Substance

Name	Benzene-d6
Formula	C6D6
Molecular Weight	84.15
CAS	1076-43-3
Concentration	For NMR, 99.5 atom %D, contains 0.03 % (v/v) TMS

## 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 5 FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Not combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

## 6.4 Reference to other section

For disposal see section 13.

# 7 HANDLING AND STORAGE

## 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: 2–8 ° C

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

No data available.

## 8.2 Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Safety glasses.

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

### Body protection

Flame retardant antistatic protective clothing.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance	Colorless liquid
b) Odor	No data available
c) pH	No data available
d) Melting point/freezing point	6.8 ° C
e) Initial boiling point and boiling range	79.1 ° C at 1,013 hPa
f) Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 1.3 %(V)
g) Flash point	-11 ° C – closed cup
h) Evaporation rate	No data available
i) Vapor pressure	99.5 hPa at 20 ° C

j) Vapor density	No data available
k) Density	0.95 g/cm <sup>3</sup> at 25 ° C
l) Water solubility	No data available
m) Partition coefficient: n-octanol/water	No data available
n) Autoignition temperature	No data available
o) Decomposition temperature	No data available
p) Flammability	No data available

## 10 STABILITY AND REACTIVITY

### 10.1 Chemical stability

No data available.

### 10.2 Conditions to avoid

No data available.

### 10.3 Incompatible materials

rubber, various plastics

### 10.4 Hazardous decomposition products

In the event of fire: see section 5.

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Acute toxicity

LD50 Oral

– Rat – male – > 2,000 mg/kg

LC50 Inhalation

– Rat – female – 4 h – 43.7 mg/l – vapor

LD50 Dermal

No data available

### 11.2 Skin corrosion/irritation

Skin – Rabbit Result: Irritating to skin. – 4 h

### 11.3 Serious eye damage/eye irritation

Eyes – Rabbit Result: Eye irritation The value is given in analogy to the following substances: benzene

### 11.4 Respiratory or skin sensitization

Maximization Test – Guinea pig Result: negative

### 11.5 Germ cell mutagenicity

May cause genetic defects. Test Type: Ames test Test system: *Salmonella typhimurium* Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration

### 11.6 Carcinogenicity

May cause cancer. Positive evidence from human epidemiological studies.

### 11.7 Reproductive toxicity

No data available

### 11.8 Specific target organ toxicity - single exposure

No data available

### 11.9 Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. – Blood

### 11.10 Aspiration hazard

No data available.

### 11.11 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 120 d - NOAEL (No observed adverse effect level) - 100 mg/kg - LOAEL (Lowest observed adverse effect level) - 25mg/kg  
Remarks: Subchronic toxicity Nausea, Dizziness, Headache, Inhalation of high concentrations of benzene may have an initial stimulatory effect on the central nervous system characterized by exhilaration, nervous excitation and/or giddiness, depression, drowsiness, or fatigue. The victim may experience tightness in the chest, breathlessness, and loss of consciousness. Tremors, convulsions, and death due to respiratory paralysis or circulatory collapse can occur in a few minutes to several hours following severe exposures. Aspiration of small amounts of liquid immediately causes pulmonary edema and hemorrhage of pulmonary tissue. Direct skin contact may cause erythema. Repeated or prolonged skin contact may result in drying, scaling dermatitis, or development of secondary skin infections. The chief target organ is the hematopoietic system. Bleeding from the nose, gums, or mucous membranes and the development of purpuric spots, pancytopenia, leukopenia, thrombocytopenia, aplastic anemia, and leukemia may occur as the condition progresses. The bone marrow may appear normal, aplastic or hyperplastic, and may not correlate with peripheral blood-forming tissues. The onset of effects of prolonged benzene exposure may be delayed for many months or years after the actual exposure has ceased.

## 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish:

flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 5.3 mg/l - 96 h

Toxicity to daphnia and other aquatic:

No data available

Toxicity to algae:

static test ErC50 - *Pseudokirchneriella subcapitata* - 100 mg/l - 72 h

Toxicity to bacteria:

No data available

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 96 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

Bioaccumulation *Leuciscus idus* (Golden orfe) - 3 d - 0.05 mg/l ((2H6)benzene) Bioconcentration factor (BCF): 10

### 12.4 Mobility in soil

No data available

### 12.5 Other adverse effects

Endangers drinking-water supplies if allowed to enter soil or water. Discharge into the environment must be avoided.

## 13 DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

#### Contaminated packaging

Disposal must be made according to official regulations.

## 14 TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: 1114 IMDG: 1114 IATA: 1114

### 14.2 UN proper shipping name

ADR/RID: BENZENE

IMDG: BENZENE

IATA-DGR: BENZENE

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

## 16. OTHER INFORMATION

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

### Further information

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com

Add: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui