

Revision Date 01.01.2025
Data of first issue 09.01.2017

Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name Diethanolamine

Product number M0113470
Brand 3ASenrise
CAS number 111-42-2

1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.

Address: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anging, Anhui

Post code: 246003 Tel: 400-005-6266 Fax: 0556-555368

Email: service@3asenrise.com

1.3 Emergency telephone

Emergency telephone: 0556-5500208

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute toxicity, Oral (Category 4), H302

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 1), H318

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 2), H373

Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

2.2 GHS label elements, including precautionary statements

Pictogram







Signal word: Danger Hazard statement(s)

H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Physical and chemical hazards

No data available

2.4 Health hazards

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

2.5 Environmental hazards Code

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

2.6 Other hazards

No data available

3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Substance

3.1 Substance

Name Diethanolamine

Formula C4H11N02 Molecular Weight 105.14 CAS 111-42-2 Concentration AR, $\geqslant 99\%$

4 FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

6.4 Reference to other section

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No data available.

8.2 Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Body protection

Flame retardant antistatic protective clothing.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance
White to off-white solid or liquid
b) Odor
ammoniacal
11.0 - 12 at 105 g/1 at 25 ° C

d) Melting point/freezing point 28 ° C

e) Initial boiling point and boiling range 217 °C at 200 hPa

f) Upper/lower flammability or explosive Upper explosion limit: 10.6 %(V) Lower

limits explosion limit: 1.6 %(V) g) Flash point 138 ° C - closed cup

h) Evaporation rate

i) Vapor pressure

j) Vapor density

No data available

No data available

1.097 g/mL at 25 ° C

1) Water solubility 105 g/l at 20 ° C - completely soluble

m) Partition coefficient: n-octanol/water

No data available

n) Autoignition temperature
 355 ° C at 1,013 hPa
 o) Decomposition temperature
 No data available

p) Flammability No data available

10 STABILITY AND REACTIVITY

10.1 Chemical stability

No data available.

10.2 Conditions to avoid

No data available.

10.3 Incompatible materials

bronze, Copper, Copper alloys, brass, Zinc, zinc alloys, Strong oxidizing agents

10.4 Hazardous decomposition products

In the event of fire: see section 5.

11 TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

LD50 Oral

- Rat - male and female - 1,600 mg/kg

LC50 Inhalation

No data available

LD50 Dermal

No data available

11.2 Skin corrosion/irritation

Skin - Rabbit Result: irritating

11.3 Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage.

11.4 Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative

11.5 Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test

11.6 Carcinogenicity

No data available

11.7 Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

11.8 Specific target organ toxicity - single exposure

No data available

11.9 Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. - Kidney, Liver, Blood

11.10 Aspiration hazard

no data available.

11.11 Additional Information

Repeated dose toxicity - Rat - female - Oral - 91 Days - LOAEL (Lowest observed adverse effect level) - 14 mg/kg Repeated dose toxicity - Rat - male and female - Dermal - 91 Days - LOAEL (Lowest observed adverse effect level) - 32 mg/kg RTECS: KL2975000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: Irritation and corrosion Cough Nausea Headache Dizziness Risk of serious damage to eyes. Possible damages: Kidney Liver Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice. Liver - Irregularities - Based on Human Evidence

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish:

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 460 mg/l - 96 h

Toxicity to daphnia and other aquatic:

static test EC50 - Ceriodaphnia dubia (water flea) - 30.1 mg/l - 48 h

Toxicity to algae:

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 9.5 mg/l - 96 h

Toxicity to bacteria:

static test EC10 - activated sludge - > 1,000 mg/1 - 30 min

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 93 % - Readily biodegradable.Biochemical Oxygen 885 mg/gDemand (BOD) Chemical Oxygen Demand \((COD\)) 1,352 mg/g

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Disposal must be made according to official regulations.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

16. OTHER INFORMATION

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Further information

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com Add: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui