

Revision Date 01.01.2025  
Data of first issue 09.01.2017

## Material Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name 2-Butanol  
Product number W310060  
Brand 3ASenrise  
CAS number 78-92-2

#### 1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.  
Address: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui  
Post code: 246003  
Tel: 400-005-6266  
Fax: 0556-5555368  
Email: service@3asenrise.com

#### 1.3 Emergency telephone

Emergency telephone: 0556-5500208

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Flammable liquids (Category 3), H226

Eye irritation (Category 2), H319

Specific target organ toxicity – single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity – single exposure (Category 3), Respiratory system, H335

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



**Signal word: Warning**

##### Hazard statement(s)

H319 Causes serious eye irritation.  
H226 Flammable liquid and vapour.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H303 May be harmful if swallowed.

## Precautionary statement(s)

### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

### Response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

### Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

### Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Physical and chemical hazards

H226 Flammable liquid and vapour.

## 2.4 Health hazards

H319 Causes serious eye irritation.

H303 May be harmful if swallowed.

## 2.5 Environmental hazards Code

No data available

## 2.6 Other hazards

No data available

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### Substance / Mixture: Substance

#### 3.1 Substance

Name 2-Butanol

Formula C<sub>4</sub>H<sub>10</sub>O

Molecular Weight 74.12

CAS 78-92-2

Concentration 99.5%, Extra Dry, with molecular sieves, Water ≤ 50 ppm (by K.F.), EnergySeal

## 4 FIRST AID MEASURES

## **4.1 Description of first aid measures**

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

## **5 FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

## **6 ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

### **6.4 Reference to other section**

For disposal see section 13.

## **7 HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

### **7.2 Conditions for safe storage, including any incompatibilities**

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

No data available.

### 8.2 Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

#### Body protection

Flame retardant antistatic protective clothing.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance	Colorless liquid
b) Odor	alcohol-like
c) pH	No data available
d) Melting point/freezing point	-115 ° C - lit.
e) Initial boiling point and boiling range	98 ° C - lit.
f) Upper/lower flammability or explosive limits	Upper explosion limit: 9.8 %(V) Lower explosion limit: 1.7 %(V)
g) Flash point	27 ° C - closed cup
h) Evaporation rate	No data available
i) Vapor pressure	15.3 hPa at 20 ° C
j) Vapor density	No data available
k) Density	0.808 g/cm <sup>3</sup> at 25 ° C - lit.
l) Water solubility	ca. 18 g/l at 20 ° C - soluble
m) Partition coefficient: n-octanol/water	No data available
n) Autoignition temperature	No data available
o) Decomposition temperature	No data available
p) Flammability	No data available

## 10 STABILITY AND REACTIVITY

### 10.1 Chemical stability

No data available.

### 10.2 Conditions to avoid

No data available.

### 10.3 Incompatible materials

Aluminum, rubber, various plastics, Strong oxidizing agents

### 10.4 Hazardous decomposition products

In the event of fire: see section 5.

## **11 TOXICOLOGICAL INFORMATION**

### **11.1 Acute toxicity**

LD50 Oral

– Rat – male and female – 2,193 mg/kg

LC50 Inhalation

– Rat – 4 h – 48.5 mg/l – vapor

LD50 Dermal

– Rat – male and female – > 2,000 mg/kg

### **11.2 Skin corrosion/irritation**

Skin – Rabbit Result: No skin irritation – 4 h

### **11.3 Serious eye damage/eye irritation**

Eyes – Rabbit Result: Eye irritation

### **11.4 Respiratory or skin sensitization**

No data available

### **11.5 Germ cell mutagenicity**

Test Type: Ames test Test system: *S. typhimurium* Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic

### **11.6 Carcinogenicity**

No data available

### **11.7 Reproductive toxicity**

No data available

### **11.8 Specific target organ toxicity - single exposure**

No data available

### **11.9 Specific target organ toxicity - repeated exposure**

No data available

### **11.10 Aspiration hazard**

no data available.

### **11.11 Additional Information**

RTECS: E01750000 Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12 ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

Toxicity to fish:

static test LC50 – *Leuciscus idus melanotus* – 3,520 mg/l – 48 h

Toxicity to daphnia and other aquatic:

static test EC50 – *Daphnia magna* (Water flea) – 2,300 mg/l – 24 h

Toxicity to algae:

No data available

Toxicity to bacteria:

No data available

### **12.2 Persistence and degradability**

Biodegradability aerobic – Exposure time 5 d Result: 86 % – Readily biodegradable.

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Other adverse effects**

No interference with wastewater treatment plants are to be expected when used properly.

Discharge into the environment must be avoided.

## **13 DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

#### **Contaminated packaging**

Disposal must be made according to official regulations.

## **14 TRANSPORT INFORMATION**

### **14.1 UN number**

ADR/RID: 1120 IMDG: 1120 IATA: 1120

### **14.2 UN proper shipping name**

ADR/RID: 2-BUTANOL

IMDG: 2-BUTANOL

IATA-DGR: 2-Butanol

### **14.3 Transport hazard class(es)**

ADR/RID: 3 IMDG: 3 IATA: 3

### **14.4 Packaging group**

ADR/RID: III IMDG: III IATA: III

### **14.5 Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **14.6 Special precautions for user**

No data available

## **15. REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

## **16. OTHER INFORMATION**

### **Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

### **Further information**

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice

information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: [Service@3asenrise.com](mailto:Service@3asenrise.com)

Add: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui