

Revision Date 01.01.2025
Data of first issue 09.01.2017

Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name D-Camphor
Product number W410029
Brand 3ASenrise
CAS number 464-49-3

1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.

Address: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anging, Anhui

Post code: 246003 Tel: 400-005-6266 Fax: 0556-555368

Email: service@3asenrise.com

1.3 Emergency telephone

Emergency telephone: 0556-5500208

1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable solids (Category 2), H228

Acute toxicity, Inhalation (Category 4), H332

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure, Inhalation (Category 2), Lungs, H371

Short-term (acute) aquatic hazard (Category 2), H401

2.2 GHS label elements, including precautionary statements

Pictogram









Signal word: Danger Hazard statement(s)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H228 Flammable solid.

H332 Harmful if inhaled.

H371 May cause damage to organs.

H401 Toxic to aquatic life.

Precautionary statement(s)

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P270 Do not eat, drink or smoke when using this product.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

Response

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P308+P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Physical and chemical hazards

H228 Flammable solid.

2.4 Health hazards

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H371 May cause damage to organs.

2.5 Environmental hazards Code

H401 Toxic to aquatic life.

2.6 Other hazards

No data available

3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Substance

3.1 Substance

Name D-Camphor
Formula C10H160
Molecular Weight 152.24
CAS 464-49-3
Concentration 98%

4 FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations.

6.4 Reference to other section

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No data available.

8.2 Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Body protection

Flame retardant antistatic protective clothing.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance

b) Odor

c) pH

d) Melting point/freezing point

e) Initial boiling point and boiling range

f) Upper/lower flammability or explosive

limits

g) Flash point

h) Evaporation rate

i) Vapor pressure

j) Vapor density

k) Density

1) Water solubility

m) Partition coefficient: n-octanol/water

n) Autoignition temperature

o) Decomposition temperature

p) Flammability

White to whitish solid

No data available

No data available

179 - 181 ° C

204° C at 1,013.25 hPa

Upper explosion limit: 3.5 %(V) Lower

explosion limit: 0.6 %(V)

64 ° C - closed cup

No data available

0.52 hPa at ca.25 $^{\circ}$ C

No data available

0.99 g/cm3 at $25 ^{\circ} \text{ C}$

ca. 1. 27 g/1 at 20 ° C

No data available

No data available

No data available

The substance or mixture is a flammable solid.

10 STABILITY AND REACTIVITY

10.1 Chemical stability

No data available.

10.2 Conditions to avoid

No data available.

10.3 Incompatible materials

No data available

10.4 Hazardous decomposition products

In the event of fire: see section 5.

11 TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

LD50 Oral

- Rat - > 5,000 mg/kg

LC50 Inhalation

- Rat - 500 mg/m3

LD50 Dermal

- Rat - male and female - > 2,000 mg/kg

11.2 Skin corrosion/irritation

Skin - In vitro study Result: Irritating to skin.

11.3 Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Irreversible effects on the eye

11.4 Respiratory or skin sensitization

Direct Peptide Reactivity Assay (DPRA) - Skin proteins Result: negative

11.5 Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic

11.6 Carcinogenicity

No data available

11.7 Reproductive toxicity

No data available

11.8 Specific target organ toxicity - single exposure

Inhalation - May cause damage to organs. - Lungs

11.9 Specific target organ toxicity - repeated exposure

No data available

11.10 Aspiration hazard

no data available.

11.11 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 3.2 mg/kg RTECS: EX1260000 Vertigo, Confusion. delirium, clonic spasms, Coma. respiratory failure, Nausea, Dizziness, Headache, death To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish:

semi-static test LC50 - Danio rerio (zebra fish) - 33.25 mg/1 - 96 h

Toxicity to daphnia and other aquatic:

static test EC50 - Daphnia magna (Water flea) - 4.23 mg/1 - 48 h

Toxicity to algae:

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 1.71 mg/l - 72 h

Toxicity to bacteria:

static test EC50 - activated sludge - > 100 mg/l - 3 h

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 77 % - Readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Disposal must be made according to official regulations.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2717 IMDG: 2717 IATA: 2717

14.2 UN proper shipping name

ADR/RID: D-CAMPHOR
IMDG: D-CAMPHOR
IATA-DGR: D-Camphor

14.3 Transport hazard class(es)

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations

Please pay attention to waste disposal and meet the requirements of local regulations.

16. OTHER INFORMATION

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

 ${\tt IMDG: International\ Maritime\ Dangerous\ Goods}$

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Further information

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com Add: No. 88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui