

Revision Date 01.01.2026  
Date of first issue 09.01.2017

## Material Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name Isobutyl chloroformate  
Product number W611010  
Brand 3ASenrise  
CAS number 543-27-1

#### 1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.  
Address: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui  
Post code: 246003  
Tel: 400-005-6266  
Fax: 0556-5555368  
Email: service@3asenrise.com

#### 1.3 Emergency telephone

Emergency telephone: 0556-5500208

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Flammable liquids (Category 3), H226  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 2), H330  
Skin corrosion/irritation (Category 1), H314  
Serious eye damage/eye irritation (Category 1), H318

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



**Signal word: Danger**

##### Hazard statement(s)

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H330 Fatal if inhaled.

## **Precautionary statement(s)**

### **Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 Wear respiratory protection.

### **Response**

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.  
P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### **Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### **Disposal**

P501 Dispose of contents/ container to an approved waste disposal plant.

## **2.3 Physical and chemical hazards**

H226 Flammable liquid and vapour.

## **2.4 Health hazards**

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.

## **2.5 Environmental hazards Code**

No data available

## **2.6 Other hazards**

No data available

## **3 COMPOSITION/INFORMATION ON INGREDIENTS**

### **Substance / Mixture: Substance**

#### **3.1 Substance**

Name	Isobutyl chloroformate
------	------------------------

Formula	C5H9ClO2
Molecular Weight	136.58
CAS	543-27-1
Concentration	98%, Energyseal

## 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 5 FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Carbon dioxide (CO2) Dry powder

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

### 6.4 Reference to other section

For disposal see section 13.

## 7 HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

## **7.2 Conditions for safe storage, including any incompatibilities**

### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: 2–8° C

## **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

No data available.

### **8.2 Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

#### **Body protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## **9 PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Colorless liquid
b) Odor	No data available
c) pH	No data available
d) Melting point/freezing point	No data available
e) Initial boiling point and boiling range	128 – 129 ° C at 1,013 hPa
f) Upper/lower flammability or explosive limits	No data available
g) Flash point	36 ° C – closed cup
h) Evaporation rate	No data available
i) Vapor pressure	95.9 hPa at 55 ° C
j) Vapor density	No data available
k) Density	1.044 g/cm <sup>3</sup>
l) Water solubility	No data available
m) Partition coefficient: n-octanol/water	No data available
n) Autoignition temperature	No data available
o) Decomposition temperature	No data available
p) Flammability	No data available

## **10 STABILITY AND REACTIVITY**

### **10.1 Chemical stability**

No data available.

### **10.2 Conditions to avoid**

No data available.

### 10.3 Incompatible materials

No data available

### 10.4 Hazardous decomposition products

In the event of fire: see section 5.

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Acute toxicity

LD50 Oral

No data available

LC50 Inhalation

- 4 h - 1.81 mg/l - vapor

LD50 Dermal

No data available

### 11.2 Skin corrosion/irritation

Causes skin burns. Skin - Rabbit Result: Causes burns. Remarks: The value is given in analogy to the following substances: ethyl chloroformate

### 11.3 Serious eye damage/eye irritation

Eyes - Rabbit Remarks: Risk of blindness!

### 11.4 Respiratory or skin sensitization

No data available

### 11.5 Germ cell mutagenicity

No data available

### 11.6 Carcinogenicity

No data available

### 11.7 Reproductive toxicity

No data available

### 11.8 Specific target organ toxicity - single exposure

No data available

### 11.9 Specific target organ toxicity - repeated exposure

No data available

### 11.10 Aspiration hazard

no data available.

### 11.11 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Shortness of breath, Headache, Nausea

## 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish:

No data available

Toxicity to daphnia and other aquatic:

No data available

Toxicity to algae:

No data available

Toxicity to bacteria:

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### **12.4 Mobility in soil**

No data available

#### **12.5 Other adverse effects**

No data available

### **13 DISPOSAL CONSIDERATIONS**

#### **13.1 Waste treatment methods**

##### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

##### **Contaminated packaging**

Disposal must be made according to official regulations.

### **14 TRANSPORT INFORMATION**

#### **14.1 UN number**

ADR/RID: 3489 IMDG: 3489 IATA: 3489

#### **14.2 UN proper shipping name**

ADR/RID: TOXICBYINHALATIONLIQUID, FLAMMABLE, CORROSIVE, N.

O. S. with an LC<sub>50</sub> lower than or equal to 1000 mL/m and saturated vapour concentration greater than or equal to 10 LC<sub>50</sub> (Isobutyl chloroformate)

IMDG: TOXICBYINHALATIONLIQUID, FLAMMABLE, CORROSIVE, N.

O. S. with an LC<sub>50</sub> lower than or equal to 1000 mL/m and saturated vapour concentration greater than or equal to 10 LC<sub>50</sub> (Isobutyl chloroformate)

IATA-DGR: Toxic by inhalation, liquid, flammable, corrosive, n.o.s. (Isobutyl chloroformate)

#### **14.3 Transport hazard class(es)**

ADR/RID: 6.1(3/8) IMDG: 6.1(3/8) IATA: 6.1(3)(8)

#### **14.4 Packaging group**

ADR/RID: I IMDG: I IATA: -

#### **14.5 Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### **14.6 Special precautions for user**

No data available

### **15. REGULATORY INFORMATION**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

### **16. OTHER INFORMATION**

#### **Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

#### **Further information**

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com

Add: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui