

Revision Date 01.01.2026  
Date of first issue 09.01.2017

## Material Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name Vinylphosphonic acid  
Product number W810826  
Brand 3ASenrise  
CAS number 1746-03-8

#### 1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.  
Address: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui  
Post code: 246003  
Tel: 400-005-6266  
Fax: 0556-5555368  
Email: service@3asenrise.com

#### 1.3 Emergency telephone

Emergency telephone: 0556-5500208

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Corrosive to Metals (Category 1), H290  
Skin corrosion (Sub-category 1B), H314

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



**Signal word: Danger**

##### Hazard statement(s)

H314 Causes severe skin burns and eye damage.

##### Precautionary statement(s)

##### Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing.  
Rinse SKIN with water/shower.

P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISON CENTER/ doctor.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

### **Storage**

P405 Store locked up.

### **Disposal**

P501 Dispose of contents/ container to an approved waste disposal plant.

## **2.3 Physical and chemical hazards**

No data available

## **2.4 Health hazards**

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **2.5 Environmental hazards Code**

No data available

## **2.6 Other hazards**

No data available

# **3 COMPOSITION/INFORMATION ON INGREDIENTS**

## **Substance / Mixture: Substance**

### **3.1 Substance**

Name	Vinylphosphonic acid
Formula	C <sub>2</sub> H <sub>5</sub> O <sub>3</sub> P
Molecular Weight	108.03
CAS	1746-03-8
Concentration	95% (stabilized with 5-10% H <sub>2</sub> O)

# **4 FIRST AID MEASURES**

## **4.1 Description of first aid measures**

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration.  
Consult a physician.

### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

# **5 FIREFIGHTING MEASURES**

## **5.1 Extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

## **5.2 Special hazards arising from the substance or mixture**

Carbon oxides Oxides of phosphorus Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

## **6 ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

### **6.4 Reference to other section**

For disposal see section 13.

## **7 HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

## **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

No data available.

### **8.2 Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

#### **Body protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance	No data available
b) Odor	odorless
c) pH	1,5 at 50 g/l at 30 ° C
d) Melting point/freezing point	36 ° C
e) Initial boiling point and boiling range	250,5 ° C at 1013,25 hPa – Decomposes below the boiling point.
f) Upper/lower flammability or explosive limits	No data available
g) Flash point	113 ° C
h) Evaporation rate	No data available
i) Vapor pressure	< 0.1 hPa at 25 ° C
j) Vapor density	No data available
k) Density	1.37 g/cm <sup>3</sup> at 20 ° C
l) Water solubility	at 20 ° C completely miscible
m) Partition coefficient: n-octanol/water	log Pow: -1.69 at 20 ° C – Bioaccumulation is not expected.
n) Autoignition temperature	460 ° C at 997.1 – 1013.17 hPa
o) Decomposition temperature	No data available
p) Flammability	No data available

## 10 STABILITY AND REACTIVITY

### 10.1 Chemical stability

No data available.

### 10.2 Conditions to avoid

No data available.

### 10.3 Incompatible materials

Strong bases, Powdered metals, Strong oxidizing agents

### 10.4 Hazardous decomposition products

In the event of fire: see section 5.

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Acute toxicity

LD50 Oral

– Rat – male and female – > 2,000 mg/kg

LC50 Inhalation

No data available

LD50 Dermal

No data available

### 11.2 Skin corrosion/irritation

Skin – Rabbit Result: Causes burns.

### 11.3 Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

### 11.4 Respiratory or skin sensitization

No data available

### **11.5 Germ cell mutagenicity**

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cel

### **11.6 Carcinogenicity**

No data available

### **11.7 Reproductive toxicity**

No data available

### **11.8 Specific target organ toxicity - single exposure**

No data available

### **11.9 Specific target organ toxicity - repeated exposure**

No data available

### **11.10 Aspiration hazard**

no data available.

### **11.11 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 1.000 mg/kg RTECS: SZ7903500 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin, Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## **12 ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

Toxicity to fish:

static test LC50 - Danio rerio (zebra fish) - > 500 mg/l - 96 h

Toxicity to daphnia and other aquatic:

static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h

Toxicity to algae:

static test ErC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h static test NOEC - Pseudokirchneriella subcapitata - 25 mg/l - 72 h

Toxicity to bacteria:

static test EC50 - activated sludge - > 1.000 mg/l - 3 h static test NOEC - activated sludge - 1.000 mg/l - 3 h

### **12.2 Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d Result: 9 % - Not inherently biodegradable.

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Other adverse effects**

Biological effects: Harmful effect due to pH shift. Discharge into the environment must be avoided.

## **13 DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable

solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

### **Contaminated packaging**

Disposal must be made according to official regulations.

## **14 TRANSPORT INFORMATION**

### **14.1 UN number**

ADR/RID: 3265 IMDG: 3265 IATA: 3265

### **14.2 UN proper shipping name**

ADR/RID: CORROSIVELIQUID, ACIDIC, ORGANIC, N. O. S. (Vinylphosphonic acid)

IMDG: CORROSIVELIQUID, ACIDIC, ORGANIC, N. O. S. (Vinylphosphonic acid)

IATA-DGR: Corrosive liquid, acidic, organic, n. o. s. (Vinylphosphonic acid)

### **14.3 Transport hazard class(es)**

ADR/RID: 8 IMDG: 8 IATA: 8

### **14.4 Packaging group**

ADR/RID: III IMDG: III IATA: III

### **14.5 Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **14.6 Special precautions for user**

No data available

## **15. REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

## **16. OTHER INFORMATION**

### **Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

### **Further information**

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com

Add: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui