

Revision Date 01.01.2025  
Data of first issue 09.01.2017

## Material Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name Chromium(VI) oxide  
Product number A01859  
Brand 3ASenrise  
CAS number 1333-82-0

#### 1.2 Details of the supplier of the safety data sheet

Company: Anhui Senrise Technology Co., Ltd.  
Address: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui  
Post code: 246003  
Tel: 400-005-6266  
Fax: 0556-5555368  
Email: service@3asenrise.com

#### 1.3 Emergency telephone

Emergency telephone: 0556-5500208

#### 1.4 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For R&D use only. Not for pharmaceutical, household or other uses.

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Oxidizing solids (Category 1), H271  
Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 2), H330  
Acute toxicity, Dermal (Category 3), H311  
Skin corrosion/irritation (Category 1A), H314  
Serious eye damage/eye irritation (Category 1), H318  
Respiratory sensitization (Category 1), H334  
Skin sensitization (Category 1), H317  
Germ cell mutagenicity (Category 1B), H340  
Carcinogenicity (Category 1A), H350  
Reproductive toxicity (Category 2), H361  
Specific target organ toxicity – single exposure (Category 3), respiratory tract irritation, H335  
Specific target organ toxicity – repeated exposure (Category 1), H372 Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



**Signal word: Danger**

**Hazard statement(s)**

H271 May cause fire or explosion; strong oxidizer.

H301+H311 Toxic if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statement(s)**

**Prevention**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P220 Keep/Store away from clothing/combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P283 Wear fire/flammable resistant/retardant clothing.

P284 Wear respiratory protection.

**Response**

P301+P310+P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P306+P360 IF ON CLOTHING: Rinse Immediately contaminated CLOTHING and SKIN with plenty of water before removing clothes.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P342+P311 IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P391 Collect spillage. Hazardous to the aquatic environment

### **Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

### **Disposal**

P501 Dispose of contents/ container to an approved waste disposal plant.

## **2.3 Physical and chemical hazards**

H271 May cause fire or explosion; strong oxidizer.

## **2.4 Health hazards**

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

## **2.5 Environmental hazards Code**

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## **2.6 Other hazards**

No data available

# **3 COMPOSITION/INFORMATION ON INGREDIENTS**

## **Substance / Mixture: Substance**

### **3.1 Substance**

Name	Chromium(VI) oxide
Formula	CrO <sub>3</sub>
Molecular Weight	99.99
CAS	1333-82-0
Concentration	99%

# **4 FIRST AID MEASURES**

## **4.1 Description of first aid measures**

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with

water. Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

## **5 FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **5.2 Special hazards arising from the substance or mixture**

Chromium oxides Not combustible. Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

## **6 ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

### **6.4 Reference to other section**

For disposal see section 13.

## **7 HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Long term storage: RT

## **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

No data available.

## 8.2 Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

### Body protection

Flame retardant antistatic protective clothing.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance	Red to dark red to purple-red flake crystals
b) Odor	odorless
c) pH	< 1 at 100 g/l at 20 ° C
d) Melting point/freezing point	196 ° C – dec.
e) Initial boiling point and boiling range	No data available
f) Upper/lower flammability or explosive limits	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Vapor pressure	No data available
j) Vapor density	No data available
k) Density	2.7 g/cm <sup>3</sup> at 20 ° C
l) Water solubility	ca. 1.667 g/l – soluble
m) Partition coefficient: n-octanol/water	No data available
n) Autoignition temperature	No data available
o) Decomposition temperature	No data available
p) Flammability	The product is not flammable.

## 10 STABILITY AND REACTIVITY

### 10.1 Chemical stability

No data available.

### 10.2 Conditions to avoid

No data available.

### 10.3 Incompatible materials

No data available

### 10.4 Hazardous decomposition products

In the event of fire: see section 5.

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Acute toxicity

LD50 Oral

– Rat – male and female – 52 mg/kg

LC50 Inhalation

No data available

LD50 Dermal

No data available

### **11.2 Skin corrosion/irritation**

Skin – Rabbit Result: Corrosive – 0.5 h

### **11.3 Serious eye damage/eye irritation**

Eyes – Rabbit Result: Causes burns. Remarks: Causes serious eye damage.

### **11.4 Respiratory or skin sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Patch test: –

Human Result: positive May cause an allergic skin reaction.

### **11.5 Germ cell mutagenicity**

May cause genetic defects. Test Type: Ames test Result: positive

### **11.6 Carcinogenicity**

No data available

### **11.7 Reproductive toxicity**

Suspected of damaging fertility.

### **11.8 Specific target organ toxicity - single exposure**

May cause respiratory irritation. – Respiratory system

### **11.9 Specific target organ toxicity - repeated exposure**

Inhalation – Causes damage to organs through prolonged or repeated exposure.

### **11.10 Aspiration hazard**

no data available.

### **11.11 Additional Information**

RTECS: GB6650000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12 ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

Toxicity to fish:

LC50 – Pimephales promelas (fathead minnow) – 33.2 mg/l – 96 h Remarks: (in analogy to similar products) (ECHA)

Toxicity to daphnia and other aquatic:

EC50 – Daphnia magna (Water flea) – 0.035 mg/l – 48 h

Toxicity to algae:

No data available

Toxicity to bacteria:

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Other adverse effects**

No data available

## **13 DISPOSAL CONSIDERATIONS**



## **13.1 Waste treatment methods**

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all federal, state and local regulations when disposing of the substance.

### **Contaminated packaging**

Disposal must be made according to official regulations.

## **14 TRANSPORT INFORMATION**

### **14.1 UN number**

ADR/RID: 1463 IMDG: 1463 IATA: 1463

### **14.2 UN proper shipping name**

ADR/RID: CHROMIUM(VI) OXIDE

IMDG: CHROMIUM(VI) OXIDE

IATA-DGR: Chromium(VI) oxide

### **14.3 Transport hazard class(es)**

ADR/RID: 5.1(6.1/8) IMDG: 5.1(6.1/8) IATA: 5.1(6.1)(8)

### **14.4 Packaging group**

ADR/RID: II IMDG: II IATA: II

### **14.5 Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### **14.6 Special precautions for user**

No data available

## **15. REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Applicable regulations

Regulations on the Control over Safety of Dangerous Chemicals.

This product is included in the list of dangerous chemicals.

Please pay attention to waste disposal and meet the requirements of local regulations.

## **16. OTHER INFORMATION**

### **Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service (division of the American Chemical Society)

### **Further information**

The above safety technical information is for reference only, because many physical and chemical properties are not entirely clear. Please consult information carefully before use and use after confirmation.

Anhui Senrise Technology Co., Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. More terms of use, see invoice information for details.

Tel: +86 -400-005-6266 Fax: +86 -0556-5555368 E-mail: Service@3asenrise.com

Add: No.88 Weisan Road, High-Tech Industrial Development Zone, Anqing, Anhui